L Number	Hits	Search Text	DB	Time stamp
-	379842	information with process$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/22 17:18
-	3812	finger$print with (id identifi$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/22 17:19
-	1711	(information with process$4) and (finger$print with (id identifi$6))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 08:58
-	251	(information with process$4) and (finger$print with (id identifi$6)) and user adj identif$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 08:59
-	231	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:00
-	222	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:01
-	58	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:43
-	30	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:38
-	19	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image and finger$print with feature	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:09
-	42	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:37
-	0	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) not ginter.in. not nec.as. and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:37
-	15	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:57
-	12811	finger$print	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:55

C:\APPS\EAST\Workspaces\A22-Uchida.wsp

-	897	finger$print and device with (picture book game retrieval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:56
-	497	finger$print and device with ("picture book" game retrieval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:56
-	108	finger$print and device near ("picture book" game retrieval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:56
-	0	finger$print and "picture book" adj device and game adj device and retrieval adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:58
-	0	finger$print and "picture book" adj device and game adj device and retriev$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:57
-	0	finger$print and "picture book" adj device and game adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:58
-	0	finger$print and game adj device and retrieval adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:59
-	0	finger$print and game adj device and retriev$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:00
-	70	finger$print and game adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:00
-	2	finger$print and game adj device with processing	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:02
-	1	finger$print and gam$4 adj device with process$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:05
-	0	finger$print and picture adj device with process$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:10
-	66	finger$print and picture with device with process$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:11
-	233	finger$print and picture with device and process$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:12
-	15	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image and feature with stor$4 not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:33

-	9	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image and feature with stor$4 and feature with group not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:31
-	11	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image and feature with stor$4 and feature with set not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:34
-	13	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image and feature with stor$4 and feature with (plurali$4 set) not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:35
-	2	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image and progressive not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:58
-	2	(information with process$4) and (finger$print with (id identifi$6)) and user with identif$6 with finger$print and device and user with (information data) and information with (progressive histor$4 environment) and finger$print with image and suspen$4 and resum$4 not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:58
-	14741	finger$print	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:58
-	239	finger$print and suspen$6 and resum$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:59
-	146	finger$print and suspen$6 and resum$6 and progress$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:00
-	130	finger$print and suspen$6 and resum$6 and progress$4 and exact$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:00
-	3	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 adj (place location state)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:01
-	0	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state) with resum$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:02
-	0	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state) with suspen$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:02

C:\APPS\EAST\Workspaces\A22-Uchida.wsp

–		0	finger$print and (suspen$6 interrupt$4) and resum$6 and progress$4 and (precis$4 exact$4) with (place location state) with suspen$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:03
–		37	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:04
–		0	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state) and biometric with resum$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:05
–		0	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state) and biometric with resum$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:05
–		0	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state) and biometric with suspen$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:05
–		0	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state) with (suspen$6 resum$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:06
–		0	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (suspen$6 resum$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:06
–		1	finger$print and suspen$6 and resum$6 and progress$4 and suspen$6 with resum$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:12
–		18	finger$print and suspen$6 and (resum$6 recover$4) and progress$4 and suspen$6 with resum$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:13
–		1	finger$print and suspen$6 and (resum$6 recover$4) and progress$4 and suspen$6 with resum$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:14
–		1	finger$print and suspen$6 and (resum$6 recover$4) and progress$4 and suspen$6 with (recover$4 resum$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:15
–		10	finger$print and (paus$4 suspen$6) and (resum$6 recover$4) and progress$4 and (paus$4 suspen$6) with (recover$4 resum$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:18
–		15	finger$print and (paus$4 suspen$6) and (resum$6 recover$4) and (progress$4 status) and (paus$4 suspen$6) with (recover$4 resum$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:25
–		15	finger$print and (paus$4 suspen$6) and (resum$6 restart$4 recover$4) and (progress$4 status) and (paus$4 suspen$6) with (recover$4 resum$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:25
–		24	finger$print and (paus$4 sleep$4 suspen$6) and (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and (paus$4 sleep$4 suspen$6) with (recover$4 resum$6 awak$4 wak$4) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:33
–		193	finger$print and (paus$4 sleep$4 suspen$6) and (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and biometric$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:33
–		25	finger$print and (paus$4 sleep$4 suspen$6) with (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and biometric$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:10

—	73	finger$print and suspen$6 and resum$6 and progress$4 and exact$4 with (place location state)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:40
—	64	(finger$print biometric$4) and (paus$4 sleep$4 suspen$6) with (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and biometric$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:41
—	64	(paus$4 sleep$4 suspen$6) with (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and biometric$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:01
—	166	(paus$4 sleep$4 suspen$6) with (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and (thumb$print finger$print)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:15
—	1	(paus$4 sleep$4 suspen$6) with (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and (thumb$print and finger$print)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:17
—	7	(paus$4 sleep$4 suspen$6) and (resum$6 awak$4 wak$4 restart$4 recover$4) and (progress$4 status) and (thumb$print and finger$print)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:18
—	3639	(paus$4 sleep$4 suspen$6) with operation and (resum$6 awak$4 wak$4 restart$4 recover$4) with operation and (progress$4 status)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:02
—	24	(paus$4 sleep$4 suspen$6) with operation and (resum$6 awak$4 wak$4 restart$4 recover$4) with operation and (progress$4 status) and exact$4 with (position point place) with resum$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:02
—	0	(paus$4 sleep$4 suspen$6) with operation and (resum$6 awak$4 wak$4 restart$4 recover$4) with operation and (progress$4 status) and exact$4 with (position point place) with resum$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:03
—	24	(paus$4 sleep$4 suspen$6) with operation and (resum$6 awak$4 wak$4 restart$4 recover$4) with operation and (progress$4 status) and exact$4 with (position point place) with resum$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:07
—	18	(paus$4 sleep$4 suspen$6) with operation and (resum$6 awak$4 wak$4 restart$4 recover$4) with operation and (progress$4 status) and exact$4 with (position point place) with resum$6 and progress$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:07
—	1	6307956.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:28
—	1	5978924.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:43